

<u>ITEM # 9</u> - New standard equipped <u>2007 Model 15,000 LB. GVWR Chassis-Cab With DRW.</u> ACCEPTABLE MAKES AND MODELS:

Standard Ford Super Duty F450 with 141" Wheelbase Cab to Axle 60" Standard Chevrolet/GMC C4500 Model C4C042 with 135.5" Wheelbase Cab to Axle 60" All units bid must contain the following options:

- 1. Standard minimum V8, diesel engine
- 2. 4 speed automatic transmission
- 3. Air conditioning
- 4. LH & RH manual trailer-type mirrors
- 5. Spare tire and wheel
- 6. Rubber floor mats
- 7 Minimum GVWR 15,000 LB
- 8. Brakes 4-wheel anti-lock braking system (ABS)
- 9 Speed control and tilt wheel
- Option 9A. Mounted 9' platform body meeting Specification E1320.
- Option 9B. Mounted 9' platform dump body meeting Specification E1327.
- Option 9C. Permanently installed bulkhead to fit truck application (minimum requirement to top of cab).
- Option 9D. Mounted 9' dump body meeting Specification E1335.
- Option 9E. Quarter cab protector made of 11 ga. Steel, to include an integral design visibility window.
- Option 9F. Provide live hydraulics with under hood clutch pump, tank with built in filter,20 GPM 3 section valve assembly with power beyond, dual knob spreader valve and hoses for mounted dump body in specification E1335 or mounted platform body in specification E1327. This package shall be capable of driving the auger, spinner motor in an salt spreader, and power to raise angle plow. All hoses shall be provided from front to rear of truck.
- Option 9G. Mounted standard utility tool body. Acceptable makes and models are:
 Knapeheide 6108D54J, Reading CLASSIC II 108A DW, Omaha 108D54V, Stahl CHALLENGER II
 108VVD-54. Body to include flush mounted tail, stop, turn, backup and clearance lights as
 required per FMVSS 108 standards. Unit must include a tread plate step bumper with pintle hook
- Option 9H. Six 2" deep full width 250 lbs. capacity free sliding tool drawers mounted approximately 1 ½" from top of compartment with approximately 2 ½" between trays in lieu of two shelves and dividers in one of the full height vertical compartments.
- Option 9I. Two full length 250 lbs. capacity free sliding tool trays with metal dividers with slots on 4" centers with first tray mounted 5 $\frac{1}{4}$ " from bottom of compartment with approximately 1 $\frac{1}{2}$ " between trays with second tray mounted above first in lieu of shelf and dividers in one of the horizontal compartments.
- Option 9J. One full length (or from crane mounting point) 4" deep top opening compartment with release located inside side compartment, automatic up position latch and metal dividers with slots on 4" centers in addition to the standard tool compartments. The top opening compartment will not protrude more than 2" into side compartment (The side compartment shall be 27" from floor to top of side body plus excess for flip top compartment).



OPTIONAL EQUIPMENT ITEM # 9 - Continued

Option 9K. One - double bottle gas drop well and retainers in lieu of two shelves and dividers in one of the full height vertical compartments, maintaining an interior height of 48".

Option 9L. Minimum 25" high panel extension cover with minimum 42" locking rear doors which will provide a minimum 48" interior height for storage and work area.

Option 9M. Body to have 3 section, tempered steel telescopic sliding roof and two piece, rigid aluminum, endgate cover to protect cargo area from weather and theft. A mechanical type seal will be placed on the telescopic sliding roof and endgate cover.

Option 9N. Crane mount reinforced rigidly while maintaining full compartment space on top rear corner of body either left or right for a 3500 lbs. capacity crane (with no mounting holes or bolt holes, we will drill to suit ourselves).

Option 90. Heavy-duty 5 or 6 speed manual transmission in lieu of automatic transmission.

Option 9P. Heavy-duty, Type V with a Type III adapter trailer hitch. Special equipment which includes weight distributing hitch platform and wiring harness for a 7 pin commercial truck connector.

Option 9Q. Exterior color to be Federal Standard #595B "Highway Yellow" #13432.

Option 9R. Alternate diesel engine.

Option 9S. Standard gasoline engine in lieu of diesel engine (state size and horsepower).

Option 9T. Alternate gasoline engine in lieu of diesel engine (state size and horsepower).

Option 9U. Automatic transmission power take-off provision.

Option 9V. Allison automatic transmission.

Option 9W. Snowplow package.

Option 9X. Crew cab in lieu of regular cab

Option 9Y. Extended cab in lieu of regular cab

Option 9Z. 2 Factory cab steps. (one on Drivers Side, one on Passenger side)

Option 9AA. Four-wheel drive.

Option 9BB. Alternative fuel in lieu of diesel. Acceptable engines are: E-85 Flex Fuel or Hybrid Electric.

Option 9CC. Hydraulic system to run body, plow and spreader, shall be all electric power line control design. In cab control modules to plug into cigar lighter for power, no wiring shall connect the in cab modules to the hydraulic valve assembly, which will be in an enclosure. The only common wiring shall be power and ground.

Option 9DD. Provide hydraulics and controls for dump hoist only



Item 9 - One Ton 15,000 GVWR Chassis Cabs with DRW/SWB

Gem City Ford/Knap MSRP (10%)

Tabulation of Request 3-060810 2007 Light Duty Automotive This is a Multiple Award For 3/4 Ton and above Trucks Missouri Department of Transportation

9

Automotive Rentals Carter Chevrolet Don Brown Auto
Chevy Chevy (Omaha Dodge
MSRP (Varies) MSRP (7%) Don Brown Chevy/Knap MSRP Chevy/Knap MSRP (25%) Putnam Lou Fusz Ford MSRP (8%)

ARO	60 days	180-300 days	180 days	!	!	120 days	•
Base Unit	08-\$29,933.00	08-\$29,191.00	07-\$30,969.00	NB	NB	07-\$31,992.00	
Option 9A	\$2,096.00	\$2,096.00	\$2,096.00			\$2,595.00	
Option 9B	\$3,789.00	\$3,789.00	\$3,789.00			\$4,145.00	
Option 9C	\$603.00	\$603.00	\$712.00			\$295.00	
Option 9D	\$4,698.00	\$4,698.00	\$4,698.00			\$3,400.00	
Option 9E	\$370.00	\$370.00	\$370.00			\$277.00	-
Option 9F	\$4,267.00	\$4,267.00	\$3,998.00			\$3,135.00	
Option 9G	\$4,136.00	\$4,136.00	\$4,258.00			\$3,660.00	
Option 9H	\$1,389.00	\$1,389.00	\$1,389.00			\$1,000.00	
Option 91	\$502.00	\$502.00	\$502.00			\$450.00	
Option 9J	\$768.00	\$768.00	\$768.00	-		\$600.00	
Option 9K	\$384.00	\$384.00	\$384.00			\$345.00	
Option 9L	\$2,521.00	\$2,521.00	\$2,521.00			\$2,000.00	
Option 9M	\$1,262.00	\$1,262.00	\$1,262.00			\$945.00	
Option 9N	\$898.00	\$898.00	\$898.00			\$800.00	
Option 9O	-\$1,250.00	-\$1,217.00	NA			N N	
Option 9P	\$341.00	\$341.00	\$341.00			\$400.00	
Option 9Q	0/(Svc Body - \$125.00)	\$509.00	\$387.00			\$250.00	
Option 9R	NB	AN	NA			\$350.00	
Option 9S	-\$5,525.00	-\$5,895.00	-\$6,324.00			-\$6,600.00	
Option 9T	NB	NA NA	NA			A'N	
Option 9U	\$210.00	\$208.00	\$190.00			\$200.00	
Option 9V	NB NB	N	INC			\$0.00	
Option 9W	\$0.00	\$85.00	\$971.00			\$750.00	•
Option 9X	\$3,065.00	\$3,129.00	\$3,812.00			\$4,500.00	
Option 9Y	\$1,995.00	\$2,038.00	NA		4	Y V	
Option 9Z	\$295.00	\$307.00	INC			\$0.00	
Option 9AA	\$3,495.00	\$3,547.00	\$7,430.00			N A	
Option 9BB	NB NB	Ϋ́	N			NA	
Option 9CC	\$2,120.00	\$2,120.00	\$2,120.00			\$5,000.00	
Option 9DD	\$650.00	\$650.00	\$650.00			\$700.00	
Total							

INC = Standard or No Charge N/A = Not Available